JC20 Rec'd FOT/PTO SEP 2 0 2001

-								
FORM PT (REV 11-	O-1390	(Modified) U.S. DEPARTMENT	OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKÉT NUMBER				
(KBV II-	TR	ANSMITTAL LETTER	TO THE UNITED STATES	101195-63				
		DESIGNATED/ELECTI	U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR					
	CONCERNING & FILING UNDER 35 U.S.C. 371 09/937126							
INTER	NATIO	ONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED				
		CT/DE00/00927	23 March 2000 (23.03.00)	26 March 1999 (26.03.99)				
		VENTION U NOADSORBER FOR US E	IN SEPSIS THERAPY					
1	IATTAT A	UNOADSORDER FOR USE						
A DDI I	CANIT	(S) FOR DO/EO/US						
Hans	-Wer	ner Heinrich, Hans-Jurgen	Hahn, Udo Meyer, Peter Kruschke and	l Heinz-Jurgen WAGNER				
		, ,						
Applio	cant h	erewith submits to the United Sta	tes Designated/Elected Office (DO/EO/US) the	ne following items and other information:				
1.	\boxtimes		tems concerning a filing under 35 U.S.C. 371					
2.			UENT submission of items concerning a filing					
3.	\boxtimes	This is an express request to beg	in national examination procedures (35 U.S.C	C. 371(f)). The submission must include itens (5), (6),				
	_	(9) and (24) indicated below.	expiration of 19 months from the priority date	e (Article 31).				
4.	∐ ⊠		lication as filed (35 U.S.C. 371 (c) (2))	Alaticie 31).				
5.			aired only if not communicated by the Interna	ational Bureau).				
AT P		· =	d by the International Bureau.	,				
			application was filed in the United States Reco	eiving Office (RO/US).				
6	×	-	of the International Application as filed (35 l					
		a. \(\) is attached hereto.	••					
	b. \square has been previously submitted under 35 U.S.C. 154(d)(4).							
7,1,	With the second							
4	H 107							
15		b. have been communicated.	ted by the International Bureau.					
		c. \square have not been made; h	owever, the time limit for making such amend	lments has NOT expired.				
n,		d. have not been made as						
8			of the amendments to the claims under PCT	Article 19 (35 U.S.C. 371(c)(3)).				
9,5			ventor(s) (35 U.S.C. 371 (c)(4)).	Transportion Report under PCT				
10.	Ш	An English language translation Article 36 (35 U.S.C. 371 (c)(5	n of the annexes of the International Prelimina 1)).	ry Examination Report under FC1				
11.	X	A copy of the International Pre	iminary Examination Report (PCT/IPEA/409).				
12.	\boxtimes	A copy of the International Sea	rch Report (PCT/ISA/210).	·				
It	tems 1	13 to 20 below concern docume	nt(s) or information included:					
13.		An Information Disclosure Sta	tement under 37 CFR 1.97 and 1.98.					
14.		An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.						
15.	\boxtimes	A FIRST preliminary amendment.						
16.		A SECOND or SUBSEQUENT preliminary amendment.						
17.		A substitute specification.						
18.		A change of power of attorney and/or address letter.						
19.		· · · · · · · · · · · · · · · · · · ·						
20.								
21.	⊠	A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).						
22. 23.	\boxtimes	Certificate of Mailing by Express Mail Other items or information:						
23.		omer nems of internation.						

J.S. AI	S. APPLICATION NO. (IF KNOWN, SEE 37 CFR PCT/DE00/00927					ATTORNEY'S DOCKET NUMBER 101195-63			
24.		following fees are					CA	LCULATIONS	PTO USE ONLY
BASIC	C NATIO	NAL FEE (37 C	FR 1.492 (a) (1) -	(5)):					
	internation	onal search fee (37 national Search R	7 CFR 1.445(a)(2)) eport not prepared	by the EPO or JPO		. \$1000.00			
X	USPTO 1	out International S	Search Report prepa	CFR 1.482) not paid to ared by the EPO or JPO		. \$860.00			
	but intern	national search fee	e (37 CFR 1.445(a)	CFR 1.482) not paid to (2)) paid to USPTO		\$710.00			
	but all cl	aims did not satis	fy provisions of PC	CFR 1.482) paid to USI T Article 33(1)-(4)	• • • • • • •	. \$690.00			
	Internation and all cl	aims satisfied pro	ovisions of PCT Ar	CFR 1.482) paid to USI ticle 33(1)-(4)	• •	\$100.00	-		•
				ATE BASIC FEE			-	\$860.00	
Surch: month	arge of \$13 arge the	earliest claimed	ng the oath or decle priority date (37 C	FR 1.492 (e)).	□ 20			\$0.00	
CL	AIMS	NUM	MBER FILED	NUMBER EXTR	A	x \$18.00	+-	\$0.00	
Total	claims		17 - 20 =	0			 	\$0.00	
	endent cla		1 - 3 =	0		x \$80.00	+-	\$0.00	
Multi	ple Depen	dent Claims (chec	ck if applicable).	F ABOVE CALC			╁╴	\$860.00	
		11					+	400000	
· 4.1	Applicant reduced by	claims small entity 1/2.	ty status. (See 37 C	FR 1.27). The fees indica			<u> </u>	\$430.00	
					SUB	TOTAL =		\$430.00	
Proce montl	ssing fee o	of \$130.00 for fur e earliest claimed	nishing the English priority date (37 C	translation later than CFR 1.492 (f)).	□ 20	□ 30 +		\$0.00	
				TOTAL NATI	ONAI	FEE =		\$430.00	
E F	or recording	ng the enclosed as	ssignment (37 CFR cover sheet (37 CFF	1.21(h)). The assignment 3.28, 3.31) (check if approximately 1.21(h)).	nt must b	e e).		\$0.00	
pul.		,		TOTAL FEES				\$430.00	
							An	nount to be: refunded	\$
								charged	\$
i la		A check in the ar	mount of	to cover the a	hove fee	s is enclosed.			
b.					n the am		130.00	to cover t	ne above fees.
# b.	. <u>a</u>	A duplicate copy	Deposit Account of this sheet is end	closed.					
C.	. 🗵	to Deposit Accou	unt No. <u>14-12</u>		y of this	sheet is enclosed	d.		
d	. 🗆	Fees are to be ch information sho	arged to a credit ca	rd. WARNING: Informa don this form. Provide	ation on credit car	this form may be rd information a	come	public. Credit c thorization on PT	ard O-2038.
NOT	E: When	e an appropriate n must be filed a	e time limit under nd granted to rest	37 CFR 1.494 or 1.495 lore the application to po	has not l ending s	peen met a petitatus	tion t	o revive (37 CFF	
1		ORRESPONDEN		••		' 4	/	\leq	1
	ice S. Lon		·			CIONATIDÍ		_//	
NO	RRIS, M	cLAUGHLIN &	MARCUS, P.A.			SIGNATURI		•	
220 East 42nd Street, 30th Floor New York, N.Y. 10017				Bruce S. Londa					
Tel# 212-808-0700				NAME					
						33,531			
1						REGISTRAT	NOL	NUMBER	
						September	20, 2	001	
			•			DATE			
					1				

Attorney Docket No. : 101195-63

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)

Hans-Werner HEINRICH, Hans-Jürgen HAHN, Udo

MEYER, Peter KRUSCHKE and Heinz-Jürgen WAGNER

PCT Application No.:

PCT/DE00/00927

Serial No.

To Be Assigned

Filed

Herewith.

For

IMMUNOADSORBER FOR USE IN SEPSIS THERAPY

Art Unit

To Be Assigned

Examiner

To Be Assigned

September 20, 2001

BOX PCT

Hon. Assistant Commissioner For Patents Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

In advance of prosecution, kindly amend the above-identified application as follows and consider the following remarks:

IN THE CLAIMS

Claim 4 (amended). Immunoadsorber according to Claim 1, wherein further antibodies against sepsis mediators are contained as a function of the state of the dysregulation.

Claim 5 (amended). Immunoadsorber according to Claim 1, wherein these antibodies are aimed against TNF, IL1, IL6, IL8 and/or IL10.

Claim 11 (amended). Immunoadsorber according to Claim 1, wherein the organic or synthetic carrier material comprises membranes of particles of polystyrenes, carbohydrates such as cellulose or agarose derivates, or acrylates.

Claim 14 (amended). Method for the production of immunoadsorbers according to Claim 1, wherein antibodies aimed against C3a and/or C5a and LPS and, if need be, against further sepsis mediators are covalently or adsorptively coupled to carrier materials of organic or synthetic polymers.

Please cancel claims 16 and 17.

REMARKS

This Preliminary Amendment is being filed to place the claims into conventional format, and to eliminate improper multiple dependency.

Favorable action is respectfully solicited.

ADDITIONAL FEE

Please charge any insufficiency of fees, or credit any excess, to Deposit Account No. 14-1263.

Respectfully submitted,

NORRIS, MCLAUGHLING MARCUS, P.A

Bv

Bruce & Londa Reg. No. 33,531

220 East 42nd Street - 30th Floor New York, New York 10017 (212) 808-0700

I hereby certify that this paper is being deposited with the United States Postal Service as Express Mail, Label No. EL867734725US to: BOX PCT, The Hon. Commissioner of Patents, Washington, D.C. 20231 on <u>September 20, 2001</u>.

Norris McLaughlin & Marcus, R.A.

Date:

9-20-01

MARKED-UP COPIES OF AMENDED CLAIMS, SHOWING CHANGES RELATIVE TO PREVIOUS VERSION

Claim 4 (amended). Immunoadsorber according to [Claims 1 to 3] <u>Claim 1</u>, wherein further antibodies against sepsis mediators are contained as a function of the state of the dysregulation.

Claim 5 (amended). Immunoadsorber according to [Claims 1 to 4] <u>Claim 1</u>, wherein these antibodies are aimed against TNF, IL1, IL6, IL8 and/or IL10.

Claim 11 (amended). Immunoadsorber according to [Claims 1 to 10] <u>Claim 1</u>, wherein the organic or synthetic carrier material comprises membranes of particles of polystyrenes, carbohydrates such as cellulose or agarose derivates, or acrylates.

Claim 14 (amended). Method for the production of immunoadsorbers according to [Claims 1 to 13] Claim 1, wherein antibodies aimed against C3a and/or C5a and LPS and, if need be, against further sepsis mediators are covalently or adsorptively coupled to carrier materials of organic or synthetic polymers.

The Man Aller Hills Towns of Į, 8 gril. Į.i.

Immunoadsorber for use in sepsis therapy

The invention in question relates to an immunoadsorber for use in sepsis therapy. in particular for removing complement factors and lipopolysaccharides (LPS) as well as, if need be, TNF and interleukins from body fluids and methods for their production and their use.

Every year, about 3.5 million patients suffer from sepsis in the USA, Japan and the EU. With a total number of inhabitants of 785 million, the incidence for these countries is less than 0.5%. But when hospitalised patients are examined with regard to the frequency of suffering, 2.0 ± 0.16 cases of sepsis are found per 100 hospital admissions. The enormous health political and individual importance can also be seen from the observation that about 25% of these patients also suffer the syndrome of a septic shock, characterised by the lethality rate of >45%, even with most intensive medicinal care by highly qualified specialists in institutions with modern equipment (intensive care units).

The risk of suffering a septic shock is very high especially with poly-traumatised patients (traffic accidents, burns, serious operations). Alongside infection from the outside, breaking through the intestinal barrier for gram-negative bacteria normally occurring in the intestines as a result of a partial loss of function of the immune system of these patients and thus an infection "from the inside" can be detected.

In more than 50% of the cases, gram-negative bacteria or their cell-wall components, endotoxins (lipopolysaccharides, LPS), cause the septic shock. The LPS released by bacteria binds to a serum protein (LBP) and is then absorbed by the LPS receptors of the monocytes/macrophages (CD14). The CD14+ cells activated in this way produce cytokines (TNFα, Interleukin-1 (IL-1), IL-6, IL-8), which have their effect via cytokine receptors of the target cells.

Parallel to the stimulation of the monocytes and macrophages, the complement system is activated. It is an integrated part of the immunological defence of mammals for direct and unspecific combating of bacterial micro-organisms and foreign particles. Of the complement proteins occurring in the blood serum, primarily proenzymes activated by proteolytic fission, the C3 protein with a serum concentration of about 1 g/l plays a central role. After contact of the micro-organisms with the C3,

the complement protein C3a is split off and, on the one hand, the formation of C5 convertase is initiated by the resultant C3b (alternative way of complement activation) and, on the other hand, the reaction is amplified by the C3B converting to C3 convertase due to depositing of serum factors. The complement protein C5 also occurring in serum is now proteolytically fissured by the C5 convertase, which is provided in larger amounts, also forming C5a. Further complement proteins (C6-C9) deposit on the resulting C5b until finally the polymeric hydrophobic membrane attack complex (MAC) is formed, settling in the bacteria membrane (opsonidisation) and forming pores, which lead to phagocytosis and thus to the elimination of the micro-organisms (and the bound MAC). The complement factors C3a and C5a (anaphylatoxins) released in the process of the complement activation result in stimulation of the phagocytising cells to the location of the bacterial attack by increasing the vascular permeability and the release of chemotoxins induced thereby. The reduction of the number of bacteria results in a reduction of the activation of the complement system. This direct and unspecific reaction is closely connected with the other immunological defence systems insofar as the synthesis and release of the cytokines essential for cellular defence is regulated, for example by complement factors. In order to bring about the inflammatory effect, C3a and C5a are bound to specific cell-based receptors, which for their part are expressed in different strengths as a function of the immune reactivity. In order to keep the immune defence permanently ready for activity, activated complement factors are detectable not only after an attack with micro-organisms, but also an integrated part of the serum of standard persons with a concentration of 1 - 10 ng/ml.

The plasma levels of the anaphylatoxins can be increased by a factor of more than one thousand, particularly in a developed sepsis, acute pulmonary failure and in moribund patients.

Almost exclusively on the basis of in vitro examinations, there exist various, mainly unspecifically effective variations of solutions in order to eliminate the effects of various complement factors, which however can hardly be tested under in vivo conditions on account of the side effects to be expected (e.g. WO-A-98/34959).

In ex vivo methods for the prevention of complement activation by artificial, extracorporal surfaces (e.g. surface coatings), an unspecific complement activation was successfully carried out. Further, selective removal of activated complement factors making use of specific C5 antibodies is known from US 5,853,722 and certainly also to be preferred, especially as highly affined antibodies have been generated in the meantime against all the components of the complement system.

The functional cascade manifested is primarily used to eliminate the bacteria penetrating into the organism. But as soon as a discrepancy occurs between the number and/or virulence of the penetrating bacteria and the elimination capacity of the immune system (e.g. in post-traumatic immune deficiency), an excessive activation is observed, subsequently accompanied by a massive release of "shock mediators" (interleukins, thrombocyte activation factor (PAF), but also oxygen radicals, prostaglandins and their metabolic products), thus further limiting the elimination capacity for LPS. In addition, CD14-negative cells (e.g. endotheliae) are also activated by the LPS, as soluble CD14 (sCD14) exists in the blood plasma as an LPS trapper, facilitating binding to these cells and inducing the formation and release of further shock mediators, thus reinforcing the circulus vitiosus. As the shock mediators act selectively, but not specifically, function restrictions in various cells and organs are observed (blood coagulation system, circulation, complement system), with the result that the inflammation reactions attacking the entire organisms initiate shock genesis, leading to irreversible organ damage, to circulation collapse and death.

In order to break through this chain of functions, various therapy strategies have been studied.

Interruption of the cascade with antibodies interrupting the LPS binding to proteins (LBP, sCD14), to the receptor (CD14), to released cytokines or to cytokine receptors or with antagonists blocking the functional areas of the receptors did achieve impressive success in various sepsis models in animal experiments, but there are still no clinically tested, successful prevention and/or therapy studies.

It was not possible to fulfil the high expectations, as it was increasingly seen that LPS also influences and changes the functional condition of cells and tissue which are not impaired by these therapeutic approaches. In addition, it must be taken into account that an LPS (immune complex) inactivated by an antibody/antagonist must be eliminated in order to exclude a biological reactivity on a permanent basis. But the elimination is also a function of the immune system, which, as it is greatly weakened, can hardly or only very incompletely fulfil this task.

The development of the septic shock is a very dynamic occurrence of primarily varying genesis, in which various mediators cause highly differing reactions within a short period of time, these quickly leading to the expression of the septic shock by dysregulation after an initial life-maintaining function.

Therefore, the invention was based on the task of developing an immunoadsorption

the state of the s

system of modular construction, in particular for extra-corporal detoxification, enabling a reduction of the plasma and tissue levels specific to the patient.

Inter alia, the invention is based on the knowledge that TNF α has a key role to play in this regulation system. It is released inter alia by macrophages as a result of various "external" influences such as injuries, inflammations, infections, septicaemia and induces a local and systemic activation of the unspecific and specific defence system via a cytokine cascade (IL-1, IL-6). Clinically, a massive TNF α release is expressed by increased body temperature, lack of appetite and all the subsequent symptoms of a catabolic metabolism situation. In pathogenesis of the sepsis, activation of the macrophages and thus the release of TNF α - appears to be of essential importance for the survival of the patient in the early phase of this disease, whereas the continued state of activation results in the de-compensation of all defence reactions in the further course.

The task of the invention was solved by an immunoadsorber for use in sepsis therapy. The immunoadsorber according to the invention is particularly used for the removal of complement factors and lipopolysaccharides (LPS) as well as the removal of further sepsis mediators, and also TNF and interleukins from body fluids, if need be. It is characterised by carrier materials of organic or synthetic polymers, to which both poly or monoclonal antibodies aimed against the complement factors C3a and/or C5a, and also antibodies aimed against lipopolysaccharides (LPS) are bound. In a preferred embodiment, antibodies aimed against further sepsis mediators are also bound to the carrier.

Preferably, these are polyclonal antibodies, particularly preferably avian antibodies of type IgY. The antibodies against sepsis mediators are contained according to the state of the dysregulation.

According to this invention, these are antibodies aimed against TNF, IL1, IL6, IL8 and/or IL10.

Preferred antibodies against the complement factor C3a manifest specific activity against at least one of the following peptide sequences:

NH₂-KCCEDGMRQNPMR-COOH NH₂-RFSCQRRTRFISL-COOH NH₃-JTELRRQHARAS-COOH

Preferred antibodies against the complement factor C5a possess specific activity

against at least one of the following peptide sequences:

NH₂-QADYKDDDDKLPAE-COOH NH₂-DDKLPAEGLDIENS-COOH

Preferred antibodies against IL1 α/β possess specific activity against at least one of the following peptide sequences:

NH₂-NCYSENEEDSSSID-COOH NH₂-GAYKSSKDDAKIT-COOH NH₂-WETHGTKNYFTS-COOH NH₂-RISDHHYSKGFRQA-COOH NH₂-VQGEESNDKIPVA-COOH NH₂-ESVDPKNYPKKKMEKRF-COOH

Preferred antibodies against IL6 possess specific activity against at least one of the following peptide sequences:

NH₂-APHRQPLTSSERIDKQI- COOH NH₂-QNRFESSEEQARA- COOH NH₂-AITTPDPTTNAS- COOH

Preferred antibodies against IL10 possess specific activity against at least one of the following peptide sequences:

NH₂-SPGQGTQSENSCT-COOH NH₂-QMKDQLDNLLLKES-CCOH NH₂-MPQAENQDPDIKA-COOH NH₂-LPCENKSKAVEQ-COOH

Preferred antibodies against TNF α possess specific activity against at least one of the following peptide sequences:

NH₂-VRSSSRTPSDKPVA-COOH NH₂-KSPCQRETPEGAEAKPW-COOH

The immunoadsorber according to the invention manifests membranes or particles customary per se of organic or synthetic polymers as carrier materials, e.g. of polystyrenes, carbohydrates such as cellulose or agarose derivatives, or of acrylates, with the specific antibodies being covalently linked to them or fixed to them via

spacers or linkers.

The production of the immunoadsorbers according to the invention is done by methods known per se in that the antibodies aimed against C3a and/or C5a and LPS and, if need be, against further sepsis mediators are coupled convalently or adsorptively to the carrier materials or organic or synthetic polymers.

The specific antibodies are produced by immunisation known per se, preferably of small mammals such as mice, rats or rabbits, or birds, such as chickens, with the corresponding antigens.

The object of the invention is also the use of the immunoadsorbers in appliances for the removal of complement factors, LPS and, if need be, further mediators from body fluids such as blood plasma as a function of the patient-specific situation.

Preferably, the immunoadsorbers are used in sepsis therapy for plasmapherese in patients with sepsis or septic shock.

Although antibodies are available for most substances and are coupled to the various carriers by known methods, avian antibodies are preferably used, as they do not activate the complement system, unlike mammal antibodies. As the activating properties are bound to the F_c part of the mammal antibodies, the F_{ab} fragment fissured with papain can principally also be used.

According to the current state of knowledge, immobilised avian antibodies have no kind of unspecific effects on the human defence system. Birds, preferably chickens, are immunised with customary methods with or without the use of adjuvants. The specific immunoglobulins are excreted in the egg yolk and can be isolated from it with customary methods. They are covalently bound to micro-particles or membranes via the Fc part with known methods.

With the immunoadsorption system for extra-corporal detoxification according to the invention, there exists for the first time a selective system which can be used patient-specifically and by which dysregulations of the immune system can be rectified.

The invention is explained in more detail by the following examples:

Example 1

Production of polyclonal antibodies by means of immunogenic peptides:

The peptides listed in Table 1 are produced by means of a solid phase synthesis:

Table 1

Peptide sequence	Antigen
KCCEDGMRQNPMR	C3a
RFSCQRRTRFISL	
ITELRRQHARAS	
QADYKDDDDKLPAE	C5a
DDKLPAEGLDIENS	OSA
SPGQGTQSENSCT	
QMKDQLDNLLLKES	
MPQAENQDPDIKA	IL10
LPCENKSKAVEQ	
NCYSENEEDSSSID	IL1α
GAYKSSKDDAKIT	TE TO
WETHGTKNYFTS	
RISDHHYSKGFRQA	I L 1β
VQGEESNDKIPVA	
ESVDPKNYPKKKMEKRF	
APHRQPLTSSERIDKQI	
QNRFESSEEQARA	ILV
AITTPDPTTNAS	
VRSSSRTPSDKPVA	ΤΝΕα
KSPCQRETPEGAEAKPW	ΙΝΓα

These peptides are covalently bound to a carrier (KLH) according to a standard recipe. The conjugate dissolved in PBS is mixed in equal shares with Freund's adjuvant. The individual inoculation dose is set in such a way that it contains 200µg of the peptide belonging to the antigen in question. 15-week-old young hens are im-

The state of the s

munised with these mixtures s.c. and boostered 4 times at intervals of 4 weeks.

Example 2

Production of polyclonal antibodies by means of lipopolysaccharides (LPS)

Cleaned LPS (SIGMA) of E. coli J5 are dissolved in PBS and mixed in equal shares with Freund's adjuvant. 15-week-old young hens are immunised with this mixture. The LPS dose amounts to 1 mg of LPS per immunisation. Boostering is done 4 times at intervals of 4 weeks.

Example 3

Obtaining the antibodies (IgY) from egg-yolk:

The eggs from the clutches of the immunised hens are collected. After separation of the egg-yolk containing antibodies, there is storage at –20°C. According to requirements, the yolks are thawed and treated according to the following plan (C.Schwarzkopf, B.Thiele (1996) ALTEX 13 Suppl. 16, 35-3):

- A TBS: 20 mM Tris/HCl, pH 7.5, 0.5 M NaCl
- B 10 % (w/v) dextran sulphate in A

Solutions

- C 1 M CaCl₂
- D 0.5 M EDTA, pH 7.5
- E saturated ammonium sulphate solution

The egg yolk (corresponds to a volume of 10 - 20 ml/egg-yolk) is suspended in 100 ml TBS per egg-yolk. Lipids and lipoproteins are precipitated with dextran sulphate (6 ml B per 100 ml TBS/egg yolk suspension) and Ca⁺⁺ (15 ml C per 100 ml TBS-egg yolk suspension), stirred for 30 to 60 min. at room temperature and centrifuged off at 5,000 g. The pellet is washed with a small volume of TBS (approx. 20 mlg/egg yolk) and centrifuged again.

The combined supernatants are filtered through a paper filter, then 0.5 M EDTA is added to the filtrate up to a final concentration of approx. 30 mM EDTA (6 ml per

The Mary Ages that Shall Shall Shall ELL ELL 1 ATT REAL

100 ml), in order to bind remaining Ca⁺⁺ ions. After this, the supernatant is mixed with 24.3 g of ammonium sulphate per 100 ml (corresponds to 40% saturation) and incubated at +4°C for 30 min.. The resultant precipitation (IgY) is firstly washed with 30% $(NH_4)_2SO_4$ (30 ml E + 70 ml dist. water), centrifuged, then dissolved in the smallest possible volume of TBS (approx. 10 ml / egg-yolk used) and dialysed against TBS.

The content of IgY is determined photometrically at 275 nm.

Example 4

a) Activation of a carrier:

The IgY cleaned according to Example 3 are covalently bound to a suitable carrier. For example, sepharose can be activated as described below for this purpose (H.-F.Boeden, W.Büttner, C.Rupprich, D.Büttner, S.Heinrich, M.Becker, M.Holtzhauer (1992) Makromol. Chem. 193, 865-887):

The agarose carrier is gradually transformed, i.e. with an amount of acetone increasing in steps of 20%. Finally, the carrier is left to stand in an enclosed container in a quintuple bed volume with water-free acetone overnight, again washed with 5 to 10 Vol. water-free acetone and briefly sucked off on a G2 slice. 400 mg N-(Chlorcarbonyloxy)-5-norbornen-2,3-dicarboximid (ClCOONВ) iл 10 ml water-free acetone p.a. are added to 10 ml sedimented carrier. Within 15 minutes, a solution of 280 µl triethylamine and 20 mg 4-dimethylamino-pyridine (DMAP) in 5 ml dry acetone is added drop by drop (mol ratio CICOONB:triethylamine:DMAP 1:1.2:0.1) with shaking. After this, there is further shaking for 15 minutes, after which the carrier is washed with about 200 ml water-free acetone.

b) Coupling of the IgY to a solid carrier

The polysaccharide matrix (gel) activated according to Example 4a) is gradually transformed into a watery medium and then immediately stirred into the coupling solution containing the ligand. Citrate buffer pH 4.2 is used as a coupling buffer. The coupling is done with gentle shaking for 2 h at room temperature. Free bindings are subsequently blocked by addition of ethanolamine. Table 2 shows the concrete conditions for the individual antibodies.

Table 2

Gel No.	Chicken- Ab (IgY)	mg	mg/ml	Ab solution	m! coupling buffer (Citrate, 0.1 M, pH 4.2)	Ethanolamine 1 M (ml)	moist gel (g)
1	ChalL1	9.5	13.5	0.7	4.3	0.5	5.55
2	ChalL6	9.8	9.8	1.0	4.0	0.5	5.58
3	ChalL10	9.2	7.4	1.2	3.8	0.5	5.55
4	ChaTNF	11.0	11.6	1.0	4.1	0.5	5.56
5	ChaLPS	11.6	13.7	0.9	4.2	0.5	5.60
6	ChaC3a	6.9	10.7	0.6	4,4	0.5	5.57
7	ChaC5a	11.3	11.1	1.0	4.0	0.5	5.55
8	Control	0.0	0.0	0.0	5.0	0.5	5.61

Example 5

The antibodies immobilised according to Example 4 are used in order to remove lipopolysaccharides, interleukins, TNF or complement factors from liquid media such as buffer solutions, serum or blood plasma.

For this, the carriers are washed, transformed into a physiological buffer (PBS) and packed in plastic or glass pillars free of air bubbles. The arrangement is completed by connection to a chromatography appliance. The sample material to be adsorbed (buffer doted with the antigens, serum or blood plasma samples, doted or with natural antigen content) can now be guided by gravity or with a suitable pump via the immobilised antibodies specific for the antigens stated. The existing antigens are recognised, firmly bound and thus removed from the medium flowing through the column by the IgY. The detection of the effectivity is done by analysis (ELISA) of the column throughflow, the antigen content of which is reduced. After washing of the column with a physiological buffer, there is desorption of the bound antigen with suitable elution agents (0.1 M citrate buffer pH 3), fractioning and analysis of the eluate. Quantitative detection of the antigens is used to determine the capacity of the immunosorbent.

Patent claims

- 1. Immunoadsorber for use in sepsis therapy in which there exist carrier materials of organic or synthetic polymers with bound poly or monoclonal antibodies aimed against the complement factors C3a and/or C5a and against lipopolysaccharides (LPS) and, if need be, with antibodies aimed against further sepsis mediators.
- 2. Immunoadsorber according to Claim 1, wherein the antibodies are polyclonal antibodies.
- 3. Immunoadsorber according to Claim 2, wherein the antibodies are avian antibodies of type IgY.
- 4. Immunoadsorber according to Claims 1 to 3, wherein further antibodies against sepsis mediators are contained as a function of the state of the dysregulation.
- 5. Immunoadsorber according to Claims 1 and 4, wherein these antibodies are aimed against TNF, IL1, IL6, IL8 and/or IL10.
- 6. Immunoadsorber according to Claim 1, wherein the bound antibodies are aimed against at least one of the following peptide sequences of the complement factors C3a and C5a

NH₂-KCCEDGMRQNPMR-COOH C3a: NH,-RFSCQRRTRFISL-COOH NH2-ITELRRQHARAS-COOH

NH2-QADYKDDDDKLPAE-COOH C5a: NH,-DDKLPAEGLDIENS-COOH

- 7. Immunoadsorber according to Claim 5, wherein the bound antibodies are aimed against at least one of the following peptide sequences of the interleukins 1α and 1β
 - NH2-NCYSENEEDSSSID-COOH IL1α:

NH2-GAYKSSKDDAKIT-COOH NH2-WETHGTKNYFTS-COOH

NH₂-RISDHHYSKGFRQA-COOH IL1β: NH2-VQGEESNDKIPVA-COOH NH2-ESVDPKNYPKKKMEKRF-COOH

8. Immunoadsorber according to Claim 5, wherein the bound antibodies are aimed against at least one of the following peptide sequences of interleukin 6

12

IL6: NH2-APHRQPLTSSERIDKQI- COOH NH2-QNRFESSEEQARA- COOH NH2-AITTPDPTTNAS- COOH

9. Immunoadsorber according to Claim 5, wherein the bound antibodies are aimed against at least one of the following peptide sequences of interleukin 10

IL10: NH₂-SPGQGTQSENSCT-COOH NH₂-QMKDQLDNLLLKES-CCOH NH2-MPQAENQDPDIKA-COOH NH2-LPCENKSKAVEQ-COOH

10. Immunoadsorber according to Claim 5, wherein the bound antibodies are aimed against at least one of the following peptide sequences

TNFa: NH2-VRSSSRTP\$DKPVA-COOH NH2-KSPCQRETPEGAEAKPW-COOH

- 11. Immunoadsorber according to Claims 1 to 10, wherein the organic or synthetic carrier material comprises membranes of particles of polystyrenes, carbohydrates such as cellulose or agarose derivatives, or acrylates.
- 12. Immunoadsorber according to Claims 1 to 11, wherein the specific antibodies are covalently bound to the membranes or particles.
- 13. Immunoadsorber according to Claims 1 to 11, wherein the antibodies are fixed to the carrier materials via spacers or linkers.
- 14. Method for the production of immunoadsorbers according to Claims 1 to 13, wherein antibodies aimed against C3a and/or C5a and LPS and, if need be, against further sepsis mediators are covalently or adsorptively coupled to carrier materials of organic or synthetic polymers.

- 15. Method according to Claim 14, wherein the antibodies are produced by immunisation preferably of small mammals, such as mice, rats or rabbit, or of birds, such as chickens, with the corresponding antigens.
- 16. Use of immunoadsorbers according to Claims 1 to 13 as an effective component of an appliance for the removal of complement factors, LPS and, if need be, further mediators in a patient-specific combination of body fluids.
- 17. Use according to Claim 16, wherein the immunoadsorbers are used for plasmapherese in patients with sepsis or septic shock as well as other diseases connected with inflammations.

Norris, McLaughlin & Marcus, P.A.

220 East 42nd Street, 30th Floor New York, NY 10017 If each inventor understands English, the Declaration and Power of Attorney below is suitable for use when filing a regular patent application and also when entering the national stage, in the case of an International application designating the USA under the PCT.

COMBINED DECLARATI	ON AND POWER OF A	TTORNEY FOR	Attorney Docket No. 101195-63							
As a below named inventor My residence, post office at I believe I am the original, first and joint inventor (if p	As a below named inventor, I hereby declare that: My residence, post office address and citizenship are as stated below next to my name, I believe I am the original, first and sole inventor (if only one name is listed below at 201) or an original, first and joint inventor (if plural names are listed below at 201-205) of the subject matter which is claimed and for which a patent is sought on the invention entitled									
Immunoadsorber for Use	Immunoadsorber for Use in Sepsis Therapy									
the specification of which (the specification of which (check one)									
is attached hereto										
	3 March 2000									
under Serial Number	under Serial NumberPCT/DE00/00927 and was amended on (if applicable).									
I hereby state that I have reincluding the claims, as am I acknowledge the duty to accordance with Title 37, 0	I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.									
I acknowledge the duty to accordance with Title 37, 0	I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.									
I list below any prior foreign priority benefits are claimed certificate in respect of wh	I list below any prior foreign application(s) for patent or inventor's certificate in respect of which foreign priority benefits are claimed under 35 USC 119; and any prior foreign application(s) for patent or inventor's certificate in respect of which such foreign priority rights are not claimed and which has a filing date before that of any application in respect of which such foreign priority benefits are claimed:									
Application Number	Country	Filing Date (day, month, year)	Priority Claimed under 35 USC 119							
100 12 707 2	Commany	26 March 1999	YES:✓_ NO:							
199 13 707.2	Germany	20 March 1999	YES: NO:							
			YES: NO:							
	I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below.									
Application No.		Filing Date								

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Bruce S. Londa (33,531) Lorimer P. Brooks (15,155) William R. Robinson (27,224) Kurt G. Brisco (33,141) William C. Gerstenzang (27,552) Robert A. Hyde (46,354) Davy E. Zoneraich (37,267) Mark A. Montana (44,948)

201	Family Name	First Given Name	Second Given Name
201	HEDDICH	77 337	
	HEINRICH City of Residence	Hans-Werner State or Foreign Country	Country of Citizenship
	City of residence	State of Foreign Country	Country of Citizenship
	Riemserort	Germany	Germany
	Post Office Address	City	State & ZIP/Country
	TT	D 17409 Diamond	DEX
	Hauptstrasse 4 Family Name	D-17498 Riemserort First Given Name	Germany Second Given Name
202	ranniy Name	Thist Given Name	Second Given Ivanic
	HAHN_	Hans-Jürgen	
	City of Residence	State or Foreign Country	Country of Citizenship
	Karlsburg Post Office Address	Germany	Germany
	Post Office Address	City	State & ZIP/Country
	Nepziner Weg 14 m	D-17495 Karlsburg	Germany DEX
202	Family Name	First Given Name	Second Given Name
203			
	MEYER_	<u>Udo</u>	
	City of Residence	State or Foreign Country	Country of Citizenship
	Hastorf	Germany	Germany
	Post Office Address	City	State & ZIP/Country
			36
	Mitteldorfstrasse 4	D-18239 Hastorf	Germany
204	Family Name	First Given Name	Second Given Name
~ 0 ~ 1	KRUSCHKE	Peter	
	City of Residence	State or Foreign Country	Country of Citizenship
			,
	Greifswald	Germany	Germany
	Post Office Address	City	State & ZIP/Country
	A see St. Cooperate 14 CO	D 17490 C 11	DEX
	Am St. Georgesfeld 60	D-17489 Greifswald	Germany

- UD

J-00

400

2,00

205	Family Name	First Given Name	Second Given Name
	WAGNER	Heinz-Jürgen	
	City of Residence	State or Foreign Country	Country of Citizenship
	Berlin	Germany	Germany
	Post Office Address	City	State & ZIP/Country
	W. I. T. I. I. G.	D 10107 D 1	Dex
	Walter-Friedrich-Strasse 3	D-13125 Berlin	Germany

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing the teop.

Maria Maria	both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may						
marai Latin	jeopardize the validity of the application or any patent issuing thereon.						
	Signature of Inventor 201	Date /1/07/01					
*4 -4	Signature of Inventor 202	Date 7. 11. 2001					
	Signature of Inventor 203	Date 12.11. 200					
g Jerr	Signature of Inventor 204	Date 09.11.2001					
	Signature of Inventor 205 X.7. Weeking	Date 26.11,2001					
. 204							